

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

BALL

Serial No.: 10/721,694

Filed: November 25, 2003

Atty. File No.: 5564-138B

For: "CAP FOR SEALING A BATHTUB
OVERFLOW PORT FOR TESTING
PURPOSES"

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

) Group Art Unit: 3751

) Examiner: FETSUGA, ROBERT M

) Confirmation No.: 6303

) AMENDMENT AND RESPONSE

) Certificate of E-Filing

) I Hereby Certify That this Correspondence is Being E-
Filed with the United States Patent and Trademark Office
on July 26, 2007.

) SHERIDAN ROSS P.C.

) BY: Ginger Lorenkamp

Dear Sir:

Applicant submits this Amendment and Response to address the Office Action having a mailing date of March 27, 2007. Enclosed herewith is a petition for a one-month extension of time, thereby extending the time period for response from June 27, 2007 to July 27, 2007. The \$60.00 fee for such extension is being electronically submitted herewith. Please credit any overpayment or charge any underpayment to Deposit Account No. 19-1970.

Reconsideration and withdrawal of the rejections of the claims are respectfully requested in view of the following amendments and remarks.

Amendments to the Specification begin on page 2 of this paper;

Amendments to the Drawings begin on page 3 of this paper;

Amendments to the Claims begin on page 4 of this paper; and

Remarks/Arguments begin on page 6 of this paper.